

	ES 2WD	SE 2WD	SE 4WD	10TH ANNIVERSARY	GT 4WD
SAFETY					
ADVANCED DUAL FRONT AIRBAGS WITH SEAT SENSORS	STD	STD	STD	STD	STD
SIDE-IMPACT CURTAIN AIRBAGS (FRONT AND REAR)	STD	STD	STD	STD	STD
FRONT-SEAT MOUNTED SIDE-IMPACT AIRBAGS	STD	STD	STD	STD	STD
ANTI-LOCK BRAKING SYSTEM (ABS)	STD	STD	STD	STD	STD
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	STD	STD	STD	STD	STD
ACTIVE STABILITY CONTROL (AWC)	STD	STD	STD	STD	STD
TRACTION CONTROL LOGIC (TCL)	STD	STD	STD	STD	STD
BRAKE OVERRIDE SYSTEM (BOS)	STD	STD	STD	STD	STD
BRAKE ASSIST SYSTEM (BAS)	STD	STD	STD	STD	STD
ANTI-THEFT ENGINE IMMOBILIZER	STD	STD	STD	STD	STD
LATCH SYSTEM (LOWER ANCHORS AND TETHERS FOR CHILD RESTRAINT SEATS)	STD	STD	STD	STD	STD
REAR DOOR CHILD SAFETY LOCKS	STD	STD	STD	STD	STD
3-POINT SEATBELTS FOR ALL SEATING POSITIONS	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE FRONT SEATBELTS	STD	STD	STD	STD	STD

FRONT SEATBELT PRETENSIONERS WITH FORCE LIMITERS	STD	STD	STD	STD	STD
HEIGHT ADJUSTABLE HEAD RESTRAINTS (1ST AND 2ND ROW PASSENGERS)	STD	STD	STD	STD	STD
RISE BODY CONSTRUCTION	STD	STD	STD	STD	STD
DAYTIME RUNNING LAMPS AND REAR CENTRE HIGH MOUNT STOP LAMP	STD	STD	STD	STD	STD
TIRE PRESSURE MONITORING SYSTEM (TPMS)	STD	STD	STD	STD	STD
DRIVER'S KNEE AIRBAG	STD	STD	STD	STD	STD
SIDE-IMPACT DOOR BARS	STD	STD	STD	STD	STD
ANTI-THEFT SECURITY ALARM SYSTEM	STD	STD	STD	STD	STD
WHEEL LOCKS (FOR ALLOY WHEELS ONLY)	-	ACC	ACC	ACC	ACC
PERFORMANCE					
2.0L DOHC MIVEC 4 CYLINDER ENGINE (148 HP, TORQUE 145 LB-FT)	STD	STD	STD	STD	STD
5-SPEED MANUAL TRANSMISSION	STD	STD	-	-	-
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	-	OPT	STD	STD	-
SPORTTRONIC® CVT WITH PADDLE SHIFTERS	-	-	-	-	STD

ALL-WHEEL CONTROL (AWC) WITH DRIVE MODE SELECTOR (2WD/4WD AUTO/4WD LOCK)	-	-	STD	STD	STD
FRONT MACPHERSON STRUT AND REAR MULTI-LINK SUSPENSION	STD	STD	STD	STD	STD
FRONT AND REAR STABILIZER BAR	STD	STD	STD	STD	STD
VENTILATED FRONT DISC AND SOLID REAR DISC BRAKES	STD	STD	STD	STD	STD
ELECTRIC POWER ASSISTED RACK AND PINION STEERING	STD	STD	STD	STD	STD
HILL START ASSIST	STD	STD	STD	STD	STD

EXTERIOR

16" STEEL WHEELS WITH WHEELCOVERS	STD	-	-	-	-
16" ALLOY WHEELS	-	STD	STD	-	-
18" DARK CHROME WHEELS	-	-	-	STD	-
18" ALLOY WHEELS	-	-	-	-	STD
P215/70 R16 ALL-SEASON TIRES	STD	STD	STD	-	-
P225/55 R18 ALL-SEASON TIRES	-	-	-	STD	STD
SPACE SAVER TEMPORARY TIRE	STD	STD	STD	STD	STD
BLACK MESH GRILLE	STD	STD	STD	STD	-
CHROME GRILLE SURROUND	-	-	-	STD	-

BLACK MESH GRILLE WITH CHROME SURROUND	-	-	-	-	STD
AUTO-OFF HALOGEN HEADLAMPS	STD	STD	STD	STD	-
AUTO-ON AND OFF SUPER-WIDE RANGE XENON HIGH INTENSITY DISCHARGE (HID) HEADLAMPS	-	-	-	-	STD
FRONT FOG LAMPS WITH CHROME ACCENT	-	STD	STD	STD	STD
HEATED AND FOLDING POWER SIDE-VIEW MIRRORS	STD	STD	STD	STD	STD
BODY-COLOUR SIDE-VIEW MIRRORS AND DOOR HANDLES	STD	STD	STD	STD	STD
SIDE MARKER LAMPS	STD	STD	STD	STD	STD
VARIABLE INTERMITTENT WINDSHIELD WIPERS AND WASHER	STD	STD	STD	STD	STD
ROOF MOUNT ANTENNA (200 MM)	STD	STD	STD	STD	STD
BLACK PAINTED ROOF RAILS	-	-	-	STD	STD
PANORAMIC FIXED GLASS SUNROOF WITH SUNSHADE AND LED LIGHTING	-	-	-	-	STD
INTERMITTENT REAR WIPER WITH WASHER	STD	STD	STD	STD	STD
REAR WINDOW DEFROSTER WITH TIMER	STD	STD	STD	STD	STD
REAR PRIVACY GLASS	-	STD	STD	STD	STD
REAR LED COMBINATION LAMPS	STD	STD	STD	STD	STD

EXHAUST FINISHER	-	-	-	STD	-
CHROME EXHAUST FINISHER	-	-	-	-	STD
LARGE REAR SPOILER	PKG/ACC	PKG/ACC	PKG/ACC	STD	PKG/ACC
ALLOY FUEL DOOR	PKG	PKG	PKG	-	PKG
REAR UNDER COVER	PKG	PKG	PKG	STD	PKG
FRONT UNDERCOVER GARNISH - CHROME	PKG/ACC	PKG/ACC	PKG/ACC	STD	PKG/ACC
MUD GUARD SET	PKG	PKG	PKG	PKG	PKG
REAR BUMPER STEP PROTECTOR	PKG	PKG	PKG	PKG	PKG
FRONT PARK ASSIST SENSORS	PKG/ACC	PKG/ACC	PKG/ACC	PKG/ACC	PKG/ACC
REAR PARK ASSIST SENSORS	PKG	PKG	PKG	PKG	PKG
SCUFF PLATES, DOOR (4 PIECES)	PKG	PKG	PKG	PKG	PKG
TAILGATE PROTECTOR	PKG	PKG	PKG	PKG	PKG
FRONT CORNER EXTENSION	-	-	-	-	PKG
BIKE ATTACHMENT, FORK MOUNT	ACC	ACC	ACC	ACC	ACC
BIKE ATTACHMENT, UPRIGHT MOUNT	ACC	ACC	ACC	ACC	ACC
BODY SIDE MOULDINGS	ACC	ACC	ACC	ACC	ACC
DOOR HANDLE COVERS, CHROME (WITHOUT FAST KEY)	ACC	-	-	-	-
DOOR HANDLE COVERS, CHROME (WITH FAST KEY)	-	ACC	ACC	ACC	-

ROOF RACK KIT (WITH FACTORY ROOF ACCOMMODATIONS). EQUIPPED WITH LOCKING CORES	ACC	ACC	ACC	ACC	ACC
ROOF RACK KIT (WITH FACTORY ROOF RAILS). EQUIPPED WITH LOCKING CORES	-	ACC	ACC	ACC	-
SIDE MIRROR COVERS (CHROME)	ACC	ACC	ACC	ACC	ACC
SIDE WINDOW DEFLECTORS	ACC	ACC	ACC	ACC	ACC
ENGINE BLOCK HEATER	ACC	ACC	ACC	ACC	ACC
FOG LAMP KIT	ACC	-	-	-	-
INTERIOR					
HEATED FRONT SEATS	STD	STD	STD	STD	STD
6-WAY ADJUSTABLE DRIVER'S SEAT (SLIDING, RECLINING AND HEIGHT ADJUSTABLE)	STD	STD	STD	STD	STD
POWER DRIVER'S SEAT	-	-	-	-	PKG
4-WAY ADJUSTABLE FRONT PASSENGER SEAT	STD	STD	STD	STD	STD
60/40 SPLIT FOLDING REAR SEAT WITH RECLINE	STD	STD	STD	STD	STD
FABRIC SEATING SURFACES	STD	STD	STD	STD	-
PREMIUM FABRIC SEATING SURFACES	-	-	-	-	STD
LEATHER SEATING SURFACES	-	-	-	-	PKG
FRONT SEATBACK POCKET (DRIVER'S SIDE)	STD	STD	STD	STD	STD

DRIVER AND FRONT PASSENGER SUN VISORS WITH VANITY MIRRORS	STD	STD	STD	STD	-
DRIVER AND FRONT PASSENGER SUN VISORS WITH ILLUMINATED VANITY MIRRORS	-	-	-	-	STD
FRONT MAP LAMPS	STD	STD	STD	STD	STD
REAR CARGO LAMP	STD	STD	STD	STD	STD
ROOM LAMP	STD	STD	STD	STD	-
LED ROOM LAMP (WHITE BULB)	PKG	PKG	PKG	PKG	-
RETRACTABLE ASSIST GRIPS (4)	STD	STD	STD	STD	STD
12V ACCESSORY OUTLET (2)	STD	STD	STD	STD	STD
FLOOR CENTRE CONSOLE WITH CUP HOLDERS	STD	-	-	-	-
FLOOR CENTRE CONSOLE WITH ARMREST AND CUP HOLDERS	-	STD	STD	STD	STD
REAR CENTRE ARMREST WITH CUP HOLDERS	STD	STD	STD	STD	STD
DOOR TRIM POCKET WITH INTEGRATED BOTTLE (500 ML) HOLDERS (2)	STD	STD	STD	STD	STD
CARGO TIE-DOWN UTILITY HOOKS (X4)	STD	STD	STD	STD	STD
GLOVE BOX WITH ILLUMINATION AND PEN HOLDER	STD	STD	STD	STD	STD
REAR CARGO COMPARTMENTS AND CARGO COVER	STD	STD	STD	STD	STD

URETHANE STEERING WHEEL	STD	-	-	-	-
LEATHER-WRAPPED STEERING WHEEL	-	STD	STD	STD	STD
URETHANE GEAR SHIFT KNOB	STD	-	-	-	-
LEATHER-WRAPPED GEAR SHIFT KNOB	-	STD	STD	STD	STD
URETHANE PARKING BRAKE LEVER WITH CHROME BUTTON	STD	STD	STD	STD	-
MATERIAL BLACK SOFT-TOUCH INSTRUMENT PANEL	STD	STD	STD	STD	STD
CHROME HVAC AND 4WD CONTROL ACCENTS	-	-	-	-	STD
BLACK INTERIOR DOOR HANDLES	STD	-	-	-	-
CHROME PLATED INTERIOR DOOR HANDLES	-	STD	STD	STD	STD
SOFT PAD DOOR TRIM	STD	STD	STD	STD	STD
DOOR SCUFF PLATE (FRONT AND REAR)	STD	STD	STD	STD	STD
FLOOR MATS	STD	STD	STD	STD	STD
LED TAILGATE LIGHT (BLUE)	PKG	PKG	PKG	PKG	PKG
CARGO MAT, REVERSIBLE	ACC	ACC	ACC	ACC	ACC
CARGO NET, ENVELOPE STYLE	ACC	ACC	ACC	ACC	ACC
CARGO NET, FLOOR STYLE	ACC	ACC	ACC	ACC	ACC
CARGO ORGANIZER	ACC	ACC	ACC	ACC	ACC

LUGGAGE TRAY	ACC	ACC	ACC	ACC	ACC
TONNEAU COVER	ACC	ACC	ACC	ACC	ACC
TRUNK NON-SLIP GRIP MAT	ACC	ACC	ACC	ACC	ACC
SHIFT KNOB, ALUMINUM / LEATHER (CVT)	-	ACC	ACC	ACC	ACC
INTERIOR PANEL SET, WITH NAVIGATION SYSTEM	ACC	ACC	ACC	ACC	ACC
FLOOR MATS, FABRIC	ACC	ACC	ACC	ACC	ACC

COMFORT & CONVENIENCE

REARVIEW CAMERA ¹	ACC	ACC	ACC	ACC	ACC
AIR CONDITIONING	STD	STD	STD	STD	-
AUTOMATIC CLIMATE CONTROL	-	-	-	-	STD
MICRON AIR FILTRATION	STD	STD	STD	STD	STD
REAR HEATER FLOOR DUCTS	STD	STD	STD	STD	STD
BLUETOOTH® 2.0 HANDS-FREE CELLULAR PHONE INTERFACE WITH STREAMING AUDIO AND USB INPUT WITH VOICE CONTROL	-	STD	STD	STD	STD
POWER DOOR LOCKS WITH REMOTE KEYLESS ENTRY	STD	STD	STD	STD	-
POWER DOOR LOCKS WITH FAST-KEY ENTRY AND IGNITION SYSTEM	-	-	-	-	STD
POWER WINDOWS WITH AUTO-UP AND DOWN DRIVER'S WINDOW	STD	STD	STD	STD	STD

CRUISE CONTROL AND STEERING WHEEL-MOUNTED CONTROLS	STD	STD	STD	STD	STD
140-WATT AM/FM/CD/MP3 AUDIO WITH 4 SPEAKERS (DIGITAL SIGNAL PROCESSOR, SPEED COMPENSATED VOLUME AND EQUALIZATION)	STD	STD	STD	STD	-
710-WATT ROCKFORD FOSGATE® PUNCH® AUDIO SYSTEM WITH 9 SPEAKERS INCLUDING 10" SUBWOOFER (DIGITAL PROCESSOR, SPEED COMPENSATED VOLUME AND EQUALIZATION)	-	-	-	-	STD
6-DISC CD/MP3 PLAYER	-	-	-	-	STD
SIRIUSXM® SATELLITE RADIO WITH 6 MONTHS COMPLIMENTARY SERVICE	-	-	-	-	STD
STEERING WHEEL-MOUNTED AUDIO CONTROLS	-	STD	STD	STD	STD
mitsubishi MULTI-COMMUNICATION SYSTEM (MMCS) GPS NAVIGATION WITH DIAMOND LANE GUIDANCE, 40 GB HDD INCLUDING MUSIC SERVER, REAL-TIME TRAFFIC INFORMATION AND REARVIEW MONITOR (DELETES 6-DISC CD CHANGER)	-	-	-	-	PKG
TILT AND TELESCOPIC STEERING WHEEL	STD	STD	STD	STD	STD
HIGH-CONTRAST SPEEDOMETER AND TACHOMETER	-	-	-	-	STD
RHEOSTAT	STD	STD	STD	STD	STD

MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, CVT POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	STD	STD	STD	STD	-
COLOUR MULTI-INFORMATION DISPLAY (TRIP METER, ODOMETER, OUTSIDE TEMPERATURE, AVERAGE FUEL CONSUMPTION, DRIVING DISTANCE TO EMPTY, SERVICE REMINDER, DRIVE MODE INDICATOR, CVT POSITION INDICATOR, WATER TEMPERATURE WARNING LAMP AND LOW FUEL WARNING)	-	-	-	-	STD
"ECO" MODE INDICATOR (EQUIPPED ON CVT AND TC-SST)	-	OPT	STD	STD	STD
GEAR SHIFT INDICATOR (EQUIPPED ON MANUAL TRANSMISSION)	STD	STD	-	-	-
ILLUMINATED IGNITION SWITCH (NOT AVAILABLE WITH FAST-KEY)	STD	STD	STD	STD	-
SEATBELT REMINDER LAMP	STD	STD	STD	STD	STD
REMOTE TRUNK AND FUEL LID RELEASE	STD	STD	STD	STD	STD
RAIN-SENSING WINDSHIELD WIPERS	-	-	-	-	STD
LED ILLUMINATION KIT, FLOOR	PKG	PKG	PKG	PKG	PKG
LED MAP LAMP BULB (WHITE) SINGLE PACK	PKG	PKG	PKG	PKG	PKG
ASH CUP	ACC	ACC	ACC	ACC	ACC

CABIN AIR FILTER	ACC	ACC	ACC	ACC	ACC
CIGAR LIGHTER	ACC	ACC	ACC	ACC	ACC
REMOTE ENGINE START (EXCLUDES 5MT)	-	ACC	ACC	ACC	ACC
NAVIGATION UNIT, INSTALL KIT	ACC	ACC	ACC	ACC	ACC

¹ Requires Navigation and harness

FACTORY OPTIONS

PREMIUM PACKAGE	-	-	-	-	OPT
PARK ASSIST SENSORS PACKAGE	OPT	OPT	OPT	OPT	OPT
LED ILLUMINATION PACKAGE	OPT	OPT	OPT	OPT	-
LED ILLUMINATION PACKAGE	-	-	-	-	OPT
EXTERIOR PACKAGE	OPT	OPT	OPT	-	-
EXTERIOR PACKAGE	-	-	-	-	OPT
PROTECTION PACKAGE	OPT	OPT	OPT	OPT	OPT

EXTERIOR COLOURS

KINGFISHER BLUE METALLIC	STD	STD	STD	-	STD
RALLY RED	STD	STD	STD	-	STD
TITANIUM GREY	STD	STD	STD	STD	STD
QUICK SILVER	OPT	OPT	OPT	OPT	OPT
WHITE PEARL	OPT	OPT	OPT	OPT	OPT

LABRADOR BLACK	OPT	OPT	OPT	OPT	OPT
----------------	-----	-----	-----	-----	-----

INTERIOR COLOURS

BLACK FABRIC	STD	-	-	-	-
BLACK FABRIC	-	STD	-	-	-
BLACK FABRIC	-	-	STD	STD	-
BLACK PREMIUM FABRIC	-	-	-	-	STD
BLACK LEATHER	-	-	-	-	PKG

ENGINE

DRIVE TRAIN	2WD	2WD	4WD	4WD	4WD
ENGINE TYPE	2.0L MIVEC I-4	2.0L MIVEC I-4	2.0L MIVEC I-4	2.0L MIVEC I-4	2.0L MIVEC I-4
ENGINE CODE	4B11	4B11	4B11	4B11	4B11
VALVE TRAIN	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)	DOHC 16-valve, Mitsubishi Innovative Valve-timing Electronic Control system (MIVEC)
DISPLACEMENT (CC)	1998 cc	1998 cc	1998 cc	1998 cc	1998 cc
BORE X STROKE (MM)	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm	86.0 x 86.0 mm
COMPRESSION RATIO	10.0:1	10.0:1	10.0:1	10.0:1	10.0:1
HORSEPOWER @ RPM	148 hp @ 6,000 rpm	148 hp @ 6,000 rpm	148 hp @ 6,000 rpm	148 hp @ 6,000 rpm	148 hp @ 6,000 rpm
TORQUE @ RPM (LB.-FT.)	145 lb.-ft. @ 4,200 rpm	145 lb.-ft. @ 4,200 rpm	145 lb.-ft. @ 4,200 rpm	145 lb.-ft. @ 4,200 rpm	145 lb.-ft. @ 4,200 rpm
AIR INTAKE SYSTEM	Conventional	Conventional	Conventional	Conventional	Conventional
ENGINE BLOCK	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
CYLINDER HEADS	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum

REDLINE RPM	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm	6,500 rpm
FUEL SYSTEM	MFI	MFI	MFI	MFI	MFI
EMISSIONS - 5MT	TIER 2-BIN 5 (50S)	TIER 2-BIN 5 (50S)	-	-	-
EMISSIONS - CVT	-	TIER 2 - BIN 5 (FED)	TIER 2-BIN 5 (50S)	TIER 2-BIN 5 (50S)	TIER 2-BIN 5 (50S)
RECOMMENDED FUEL	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded	Regular Unleaded
RADIATOR CORE SIZE (MM)	700 x 409 x 16 mm	700 x 409 x 16 mm	700 x 409 x 16 mm	700 x 409 x 16 mm	700 x 409 x 16 mm
ENGINE OIL TYPE	0W-20	0W-20	0W-20	0W-20	0W-20
ENGINE OIL CAPACITY (L/QT.)	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.	4.0 L / 4.2 qt.

TRANSMISSION TYPES

TYPE	5-speed manual	5-speed manual	-	-	-
MANUAL RATIOS					
1ST	3.833	3.833	-	-	-
2ND	1.913	1.913	-	-	-
3RD	1.333	1.333	-	-	-
4TH	1.028	1.028	-	-	-
5TH	0.820	0.820	-	-	-
REVERSE	3.583	3.583	-	-	-
FINAL DRIVE	4.235	4.235	-	-	-
CVT RATIOS					
TYPE	-	INVECS -III - CVT	INVECS -III - CVT	INVECS -III - CVT	INVECS -III - CVT Sportronic®
PADDLE-SHIFTERS	-	-	-	-	Standard

CVT AUTOMATIC RATIOS	-	2.349 ~ 0.394	2.349 ~ 0.394	2.349 ~ 0.394	2.349 ~ 0.394
1ST	-	2.349	2.349	2.349	2.349
2ND	-	1.421	1.421	1.421	1.421
3RD	-	1.092	1.092	1.092	1.092
4TH	-	0.847	0.847	0.847	0.847
5TH	-	0.641	0.641	0.641	0.641
6TH	-	0.527	0.527	0.527	0.527
REVERSE	-	1.750	1.750	1.750	1.750
FINAL DRIVE	-	6.466	6.466	6.466	6.466

SUSPENSION

FRONT	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut	MacPherson Strut
FRONT STABILIZER BAR DIAMETER (MM)	22 mm	22 mm	22 mm	22 mm	22 mm
REAR	Multi-link	Multi-link	Multi-link	Multi-link	Multi-link
REAR STABILIZER BAR DIAMETER (MM)	18 mm	18 mm	18 mm	18 mm	18 mm

EXTERIOR DIMENSIONS

WHEELBASE (MM/IN.)	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.	2,670 mm / 105.1 in.
LENGTH (MM/IN.)	4,295 mm / 169.1 in.	4,295 mm / 169.1 in.	4,295 mm / 169.1 in.	4,295 mm / 169.1 in.	4,295 mm / 169.1 in.
WIDTH (MM/IN.)	1,770 mm / 69.7 in.	1,770 mm / 69.7 in.	1,770 mm / 69.7 in.	1,770 mm / 69.7 in.	1,770 mm / 69.7 in.
HEIGHT (MM/IN.)	1,630 mm / 64.2 in.	1,630 mm / 64.2 in.	1,630 mm / 64.2 in.	1,630 mm / 64.2 in.	1,630 mm / 64.2 in.
TRACK, FRONT (MM/IN.)	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.
TRACK, REAR (MM/IN.)	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.	1,525 mm / 60.0 in.

MINIMUM GROUND CLEARANCE (MM/IN.)

215 mm / 8.5 in.

215 mm / 8.5 in.

215 mm / 8.5 in.

215 mm / 8.5 in.

215 mm / 8.5 in.

INTERIOR DIMENSIONS**PASSENGER SEATING CAPACITY**

5

5

5

5

5

INTERIOR VOLUME WITHOUT PANORAMIC/SUBWOOFER (L/CU. FT.)

3,375 L / 119.2 cu. ft

3,375 L / 119.2 cu. ft

3,375 L / 119.2 cu. ft

3,375 L / 119.2 cu. ft

-

INTERIOR VOLUME WITH PANORAMIC/SUBWOOFER (L/CU. FT.)

-

-

-

-

3,273 L / 115.6 cu. ft.

PASSENGER VOLUME WITHOUT PANORAMIC (L/CU. FT.)

2,761 L / 97.5 cu. ft.

2,761 L / 97.5 cu. ft.

2,761 L / 97.5 cu. ft.

2,761 L / 97.5 cu. ft.

-

PASSENGER VOLUME WITH PANORAMIC (L/CU. FT.)

-

-

-

-

2,707 L / 95.6 cu. ft.

CARGO AREA (BEHIND FRONT SEAT) WITHOUT PANORAMIC (L/CU. FT.)

1,402 L / 49.5 cu. ft.

1,402 L / 49.5 cu. ft.

1,402 L / 49.5 cu. ft.

1,402 L / 49.5 cu. ft.

-

CARGO AREA (BEHIND FRONT SEAT) WITH PANORAMIC (L/CU. FT.)

-

-

-

-

1,382 L / 48.8 cu. ft.

CARGO AREA (BEHIND REAR SEAT) WITHOUT SUBWOOFER (L/CU. FT.)

614 L / 21.7 cu. ft.

614 L / 21.7 cu. ft.

614 L / 21.7 cu. ft.

614 L / 21.7 cu. ft.

-

CARGO AREA (BEHIND REAR SEAT) WITH SUBWOOFER (L/CU. FT.)

-

-

-

-

569 L / 20.1 cu. ft.

PASSENGER SPACE**FRONT HEAD ROOM (MM/IN.)**

1,000 mm / 39.4 in.

1,000 mm / 39.4 in.

1,000 mm / 39.4 in.

1,000 mm / 39.4 in.

-

FRONT HEAD ROOM WITH PANORAMIC (MM/IN.)

-

-

-

-

988 mm / 38.9 in.

FRONT SHOULDER ROOM (MM/IN.)	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.	1,427 mm / 56.2 in.
FRONT HIP ROOM (MM/IN.)	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.	1,324 mm / 52.1 in.
FRONT LEG ROOM (MM/IN.)	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.	1,056 mm / 41.6 in.
REAR HEAD ROOM (MM/IN.)	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	963 mm / 37.9 in.	-
REAR HEAD ROOM WITH PANORAMIC (MM/IN.)	-	-	-	-	934 mm / 36.8 in.
REAR SHOULDER ROOM (MM/IN.)	1,414 mm / 55.7 in.	1,414 mm / 55.7 in.	1,414 mm / 55.7 in.	1,414 mm / 55.7 in.	1,414 mm / 55.7 in.
REAR HIP ROOM (MM/IN.)	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.	1,310 mm / 51.6 in.
REAR LEG ROOM (MM/IN.)	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.	921 mm / 36.3 in.

WEIGHTS

GVWR - 5MT (KG/LBS)	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	-	-	-
GVWR - CVT (KG/LBS)	-	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.	1,970 kg / 4,343 lbs.
CURB WEIGHT - 5MT (KG/LBS)	1,375 kg / 3,032 lbs.	1,375 kg / 3,032 lbs.	-	-	-
CURB WEIGHT - CVT (KG/LBS)	-	1,405 kg / 3,098 lbs.	1,470 kg / 3,241 lbs.	1,470 kg / 3,241 lbs.	1,480 kg / 3,263 lbs.
WEIGHT DISTRIBUTION AT CURB WEIGHT - 5MT (% FRONT/REAR)	59 / 41	59 / 41	-	-	-
WEIGHT DISTRIBUTION AT CURB WEIGHT - CVT (% FRONT/REAR)	-	60 / 40	59 / 41	59 / 41	59 / 41

STEERING

TYPE	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)	Telescopic, Electric Power Steering (EPS)
-------------	---	---	---	---	---

RATIO	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev	43.69 mm/rev
TURNING CIRCLE - CURB TO CURB (M/FT.)	5.3 m / 17.4 ft.	5.3 m / 17.4 ft.	5.3 m / 17.4 ft.	5.3 m / 17.4 ft.	5.3 m / 17.4 ft.
URNS - LOCK TO LOCK	3.3 rev	3.3 rev	3.3 rev	3.3 rev	3.3 rev

BRAKES

FRONT BRAKE TYPE	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
FRONT BRAKE DIAMETER (MM/IN.)	294 mm / 11.6 in.	294 mm / 11.6 in.	294 mm / 11.6 in.	294 mm / 11.6 in.	294 mm / 11.6 in.
REAR BRAKE TYPE	Solid disc	Solid disc	Solid disc	Solid disc	Solid disc
REAR BRAKE DIAMETER (MM/IN.)	302 mm / 11.9 in.	302 mm / 11.9 in.	302 mm / 11.9 in.	302 mm / 11.9 in.	302 mm / 11.9 in.
ANTI-LOCK BRAKING SYSTEM	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD	4 sensor, 4 channel with EBD
SWEPT AREA - FRONT (SQ. IN)	230 sq. in	230 sq. in	230 sq. in	230 sq. in	230 sq. in
SWEPT AREA - REAR (SQ. IN)	194 sq. in	194 sq. in	194 sq. in	194 sq. in	194 sq. in
TOTAL SWEPT AREA (SQ. IN)	424 sq. in	424 sq. in	424 sq. in	424 sq. in	424 sq. in

ELECTRICAL

BATTERY	75D23L	75D23L	75D23L	75D23L	75D23L
ALTERNATOR (AMPS)	130A	130A	130A	130A	130A

FUEL CAPACITY

2WD FUEL TANK CAPACITY (L/GAL.)	63 L / 16.6 gal.	63 L / 16.6 gal.	-	-	-
4WD FUEL TANK CAPACITY (L / GAL.)	-	-	60 L / 15.8 gal.	60 L / 15.8 gal.	60 L / 15.8 gal.

ESTIMATED FUEL CONSUMPTION

5MT - CITY (L/100 KM)	TBD	TBD	-	-	-
CVT - CITY	-	TBD	TBD	TBD	TBD
5MT - HIGHWAY (L/100 KM)	TBD	TBD	-	-	-
CVT - HIGHWAY	-	TBD	TBD	TBD	TBD
5MT - COMBINED (L/100 KM)	TBD	TBD	-	-	-
CVT - COMBINED	-	TBD	TBD	TBD	TBD

WHEELS & TIRES

WHEEL TYPE	16x6.5JJ Steel with Cover	16x6.5JJ Aluminum Alloy	16x6.5JJ Aluminum Alloy	18x7JJ Aluminum Alloy	18x7JJ Aluminum Alloy
OFFSET	46 mm	46 mm	46 mm	46 mm	46 mm
WHEEL SIZE	16 inch	16 inch	16 inch	18 inch	18 inch
TIRE SIZE	P215/70R16	P215/70R16	P215/70R16	P225/55R18	P225/55R18
SPARE TIRE	T155/90D16	T155/90D16	T155/90D16	T155/90D16	T155/90D16

WARRANTIES

BASIC	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms	5 years / 100,000 kms
POWERTRAIN	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms	10 years / 160,000 kms
ROADSIDE	5 years / unlimited kms	5 years / unlimited kms	5 years / unlimited kms	5 years / unlimited kms	5 years / unlimited kms